



### Standard Inverter - CS/CU-PU24XKJ

#### Model

(50Hz)	CS-PU24XKJ (CU-PU24XKJ)
--------	----------------------------

#### Kapasitas Pendinginan

(min-max)	<b>kW</b>	6,10 (1,12-6,90)
	<b>Btu/h</b>	20.800 (3.820-23.500)

#### EER (rated)

(min-max)	11,95 (10,68-11,58)
-----------	---------------------

#### EER (label)

<b>Btu/hW</b>	14,89
---------------	-------

#### Tingkat Bintang

<b>Star Level</b>	Bintang 4
-------------------	-----------

#### Data kelistrikan

<b>Voltase</b>	<b>V</b>	220
<b>Arus Daya</b>	<b>A</b>	8,0
<b>Daya Listrik (min-max)</b>	<b>W</b>	1.740 (330-2.200)

#### Penghilang Kelembaban

<b>L/h</b>	3,4
<b>Pt/h</b>	7,2

### Sirkulasi Udara

Indoor	m <sup>3</sup> / min (ft <sup>3</sup> /min)	19,9 (700)
Outdoor	m <sup>3</sup> / min (ft <sup>3</sup> /min)	34,9 (1.230)

### Tingkat Kebisingan

Indoor (H / L / Q-Lo)	dB-A	45/36/33
Outdoor (H)	dB-A	51

### Dimensi

Tinggi	mm	302 [619]
	inci	11-29/32 [24-3/8]
Lebar	mm	1.102 [824]
	inci	43-13/32 [32-15/32]
Tebal	mm	244 [299]
	inci	9-5/8 [11-25/32]

### Berat Bersih

Indoor	kg (lb)	12 (26)
Outdoor	kg (lb)	32 (71)

### Diameter Pipa Pendingin

Sisi Cair	mm	Ø 6,35
	inci	1/4
Sisi Gas	mm	Ø 12,70
	inci	1/2

### Sambungan Pipa

Chargeless Pipa Maksimum	m	10
Panjang Pipa Maksimum	m	30
Ketinggian Maksimum Pipa	m	20
Gas Pendingin Tambahan*	g/m	15

## Pasokan Listrik

---

Indoor

---

[Konsumer](#) > [Home Appliances](#) > [Air Conditioners](#) > [Single Split](#) > [CS-PU24XKJ](#) > [Semua Spesifikasi](#)