



Standard Inverter - CS/CU-PU9XKJ

Model

(50Hz)	CS-PU9XKJ (CU-PU9XKJ)
--------	--------------------------

Kapasitas Pendinginan

(min-max)	kW	2,50 (0,84-2,73)
	Btu/h	8.530 (2.860-9.310)

EER (rated)

(min-max)	12,73 (11,22-15,05)
-----------	---------------------

EER (label)

Btu/hW	13,20
--------	-------

Tingkat Bintang

Star Level	Bintang 4
------------	-----------

Data kelistrikan

Voltase	V	220
Arus Daya	A	3.4
Daya Listrik (min-max)	W	670 (190-830)

Penghilang Kelembaban

L/h	1,5
Pt/h	3,2

Sirkulasi Udara

Indoor	m ³ / min (ft ³ /min)	10,1 (360)
Outdoor	m ³ / min (ft ³ /min)	26,7 (940)

Tingkat Kebisingan

Indoor (H / L / Q-Lo)	dB-A	36/26/23
Outdoor (H)	dB-A	47

Dimensi

Tinggi	mm	290 [490]
	inci	11-7/16 [19-9/32]
Lebar	mm	779 [650]
	inci	30-11/16 [25-19/32]
Tebal	mm	209 [230]
	inci	8-1/4 [9-1/16]

Berat Bersih

Indoor	kg (lb)	8 (18)
Outdoor	kg (lb)	18 (40)

Diameter Pipa Pendingin

Sisi Cair	mm	Ø 6,35
	inci	1/4
Sisi Gas	mm	Ø 9,52
	inci	3/8

Sambungan Pipa

Chargeless Pipa Maksimum	m	7,5
Panjang Pipa Maksimum	m	20
Ketinggian Maksimum Pipa	m	15
Gas Pendingin Tambahan*	g/m	10

Pasokan Listrik

Indoor

> > > > >